







Part No.
468565


Średnica stopy
40


Dł. sworznia
40

Śr. gwintu
M8



Part No. 0550050001VR d M8 x 1.25 h 6.5 H 15.0



DIN		Maße	M 6*	M 8	M 10	M 12	M 14*	M 16	M 18*
 582		d ₂	17	20	25	30	35	35	40
		d ₃	28	36	45	54	63	63	72
		d ₄	16	20	25	30	35	35	40
		m	8,5	8,5	10	11	13	13	16
		h	31	36	45	53	62	62	71
		k	6	8	10	12	14	14	16
		Maße	M 20	M 22*	M 24	M 27*	M 30	M 33*	M 36
		d ₂	40	45	50	50	65	65	75
		d ₃	72	81	90	90	108	108	126
		d ₄	40	45	50	50	60	60	70
		m	16	18	20	20	25	25	30
		h	71	80,5	90	90	109	109	128
		k	16	18	20	20	24	24	28
		Maße	M 39*	M 42	M 45*	M 48	M 52*	M 56	M 64
		d ₂	85	85	100	100	110	110	120
		d ₃	144	144	166	166	184	184	206
		d ₄	80	80	90	90	100	100	110
		m	35	35	40	40	45	45	50
		h	147	147	168	168	187	187	208
		k	32	32	38	38	42	42	48

Ringschrauben → TI-21
 Weitere Technische Informationen → TI-98
 * Zwischengrößen nicht in der Norm enthalten